

Page 1/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 04.04.2024

Version number 3.0 (replaces version 2.0)

Revision: 04.04.2024

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

· 1.1 Product identifier

- · Trade name: KEIM INNOPRO
- 1.2 Relevant identified uses of the substance or mixture and uses advised against
- Application of the substance / the mixture Sol-silicate paint for interior use.
- · Uses advised against All other uses are not recommended.

• 1.3 Details of the supplier of the safety data sheet

• Manufacturer/Supplier: KEIMFARBEN GMBH Keimstraße 16 / 86420 Diedorf Tel. +49 (0)821 4802-0 Fax +49 (0)821 4802-210 www.keim.com / info@keimfarben.de

- Further information obtainable from: Product safety department Telefon: 49(0)821/4802-138 E-Mail: sdb.info@keimfarben.de
- **1.4 Emergency telephone number:** GBK GmbH Global Regulatory Compliance Emergency number: +49(0)6132/84463

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the CLP regulation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- Additional information:

EUH210 Safety data sheet available on request.

- EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.
- · 2.3 Other hazards Alkaline product. Avoid contact with skin and eyes.
- Results of PBT and vPvB assessment
- **PBT:** Not applicable
- · **vPvB:** Not applicable

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

• **Description:** Aqueous solution of amorphous silica, organically modified, fillers and pigments.

(Contd. on page 2)



Page 2/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 04.04.2024

Version number 3.0 (replaces version 2.0)

Revision: 04.04.2024

(Contd. of page 1)

Trade name: KEIM INNOPRO

Dangerous components:

CAS: 13463-67-7 EINECS: 236-675-5 Index number: 022-006-00-2 Reg.nr.: 01-2119489379-17-XXXX titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter \leq 10 μm] & Carc. 2, H351

· Additional information:

Route of exposure: Inhalation/contraction not given. Alveolar particles (diameter $\leq 10 \ \mu m$) bound in the paint matrix. This product contains <1 % respirable crystalline quartz. For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

General information:

No special measures required.

When seeing the doctor we suggest to present this safety data sheet.

• After inhalation: Supply fresh air; consult doctor in case of complaints.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Do not use solvents or thinners.

If skin irritation continues, consult a doctor.

After eye contact:

Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing:

Rinse mouth and throat well with water.

Do not induce vomiting; call for medical help immediately.

- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

· Suitable extinguishing agents:

Product itself does not burn. Co-ordinate fire-fighting measures to the fire surroundings.

- **5.2 Special hazards arising from the substance or mixture** No further relevant information available.
- 5.3 Advice for firefighters

· Special protective equipment: Wear self-contained respiratory protective device.

· Additional information

Cool endangered receptacles with water spray.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

(Contd. on page 3)



Page 3/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 04.04.2024

Version number 3.0 (replaces version 2.0)

Revision: 04.04.2024

Trade name: KEIM INNOPRO

(Contd. of page 2)

In case of fire do not breathe smoke, fumes and vapours.

SECTION 6: Accidental release measures

• **6.1 Personal precautions, protective equipment and emergency procedures** Ensure adequate ventilation Avoid contact with skin and eyes. Particular danger of slipping on leaked/spilled product.

Respect the protection rules (see section 7 and 8).

- 6.2 Environmental precautions: Do not allow product to reach soil, sewage system or any water course. Follow local governmental rules and regulations.
 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.

Dispose of the material collected according to regulations.

- Clear contaminated areas thoroughly.
- 6.4 Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling Keep receptacles tightly sealed. Avoid contact with skin and eyes. Do not inhale aerosols. Ensure good ventilation/exhaustion at the workplace. See item 8 (8.2) for information about suitable protective equipment and technical precautions. Respect the protection rules. Information about fire - and explosion protection: The product is not flammable. No special measures required. · 7.2 Conditions for safe storage, including any incompatibilities • Storage: · Requirements to be met by storerooms and receptacles: Keep in the original containers in a cool and dry place. Store only in unopened original receptacles. • Information about storage in one common storage facility: Do not store together with acids. · Further information about storage conditions: Store in a cool place. Protect from frost. Protect from heat and direct sunlight. · Storage class: 12

 $\cdot \ \textbf{GISCode} \ \texttt{BSW10} \ \texttt{Beschichtungsstoffe}, \ \texttt{wasserbasiert}, \ \texttt{konservierungsmittelarm}$

(Contd. on page 4)

⁻ DEN



Page 4/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 04.04.2024

Version number 3.0 (replaces version 2.0)

Revision: 04.04.2024

Trade name: KEIM INNOPRO

· 7.3 Specific end use(s) No further relevant information available.

(Contd. of page 3)

SECTION 8: Exposure controls/personal protection
· 8.1 Control parameters
Ingredients with limit values that require monitoring at the workplace:
alveoles penetrating component
13463-67-7 titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter \leq 10 μm]
AGW (Germany) Long-term value: 1.25* 10** mg/m ³ 2(II);*alveolengängig**einatembar; AGS, DFG, Y
14808-60-7 Quartz (SiO2)
MAK (Germany) alveolengängige Fraktion
• Additional information: The lists valid during the making were used as basis.
· 8.2 Exposure controls
Individual protection measures, such as personal protective equipment
General protective and hygienic measures:
Avoid contact with the eyes and skin.
Do not inhale aerosols. Wash hands before breaks and at the end of work.
Immediately remove all soiled and contaminated clothing.
· Respiratory protection:
Use suitable respiratory protective device only when aerosol or mist is formed.
Filter: P2
· Hand protection Protective gloves
Material of gloves
suitable material e.g.:
Nitrile impregnated cotton-gloves Recommended thickness of the material: \geq 0.5 mm
Nitrile rubber, NBR
Recommended thickness of the material: ≥ 0.4 mm
Butyl rubber, BR
Recommended thickness of the material: ≥ 0.7 mm
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore
to be checked prior to the application. · Penetration time of glove material
Value for the permeation: level ≥ 6 (480 min)
The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time,
is recommended. The exact break trough time has to be found out by the manufacturer of the protective gloves and
has to be observed.
• Eye/face protection Tightly sealed goggles
Body protection: Protective work clothing



Page 5/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 04.04.2024

Version number 3.0 (replaces version 2.0)

Revision: 04.04.2024

(Contd. of page 4)

Trade name: KEIM INNOPRO

• Environmental exposure controls See Section 12 and 6.2

No further relevant information available.

SECTION 9: Physical and chemical properties

• 9.1 Information on basic physical and chem	ical properties
General Information	
Physical state	Fluid
Colour:	Different, according to colouring.
· Odour:	Odourless
· Odour threshold:	Not determined
• Melting point/freezing point:	Not determined
• Boiling point or initial boiling point and	
boiling range	100 °C
· Flammability	Not applicable
Lower and upper explosion limit	
· Lower:	Not applicable
Upper:	Not applicable
· Flash point:	Not applicable
Auto-ignition temperature:	Not determined
· Decomposition temperature:	Not determined
· pH at 20 °C	~11*
· Viscosity:	
· Kinematic viscosity	Not determined
· Dynamic at 20 °C:	3.200-4.300* mPas
	5.200-4.300 MPas
· Solubility	Eully main aile la
water:	Fully miscible
Partition coefficient n-octanol/water (log	
value)	Not applicable
 Vapour pressure at 20 °C: 	~23 hPa
 Density and/or relative density 	
· Density at 20 °C:	1.5-1.6* g/cm ³
· Relative density	Not determined
· Vapour density	Not applicable
9.2 Other information	* The values are for freshly produced material
	and may change with the time.
· Appearance:	and may ondrigo with the time.
· Form:	Pasty
· Important information on protection of heal	
and environment, and on safety.	
· Ignition temperature:	Draduat is not colfigniting
	Product is not selfigniting.
· Explosive properties:	Product does not present an explosion hazard.
	(Contd. on page 6)



Page 6/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 04.04.2024

Version number 3.0 (replaces version 2.0)

Revision: 04.04.2024

Trade name: KEIM INNOPRO

		(Contd. of pag
· Change in condition		
· Softening point/range		
· Oxidising properties:	Not applicable	
Evaporation rate	Not applicable	
· Information with regard to physical haz	ard	
classes		
· Explosives	Void	
Flammable gases	Void	
· Aerosols	Void	
· Oxidising gases	Void	
· Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
· Self-reactive substances and mixtures	Void	
· Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
· Substances and mixtures, which emit		
flammable gases in contact with water	Void	
· Oxidising liquids	Void	
· Oxidising solids	Void	
· Organic peroxides	Void	
· Corrosive to metals	Void	
· Desensitised explosives	Void	

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- 10.2 Chemical stability Stable under normal conditions of storage and use.
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: Acids
- · 10.6 Hazardous decomposition products:
- No hazardous decomposition products if stored and handled as prescribed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

· Acute toxicity Based on available data, the classification criteria are not met.

(Contd. on page 7)

⁻ DEN



Page 7/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 04.04.2024

Version number 3.0 (replaces version 2.0)

Revision: 04.04.2024

Trade name: KEIM INNOPRO

Serious eye damage/irritation In case of longer exposure, irritatin during inhalation: Irritant effect possible. during swallowing: Irritant effect possible Respiratory or skin sensitisation Based on available data, the classification Carcinogenicity Based on available data, the classification criteria Reproductive toxicity Based on available data, the classification criteria Reproductive toxicity Based on available data, the classification criteria Reproductive toxicity Based on available data, the classification criteria STOT-single exposure Based on available data, the classification of STOT-repeated exposure Based on available data, the classification criteria Aspiration hazard Based on available data, the classification criteria Other information (about experimental toxicology): Experimental analysis are not available. The product was not tested. The statements on toxicology have be the individual components. Subacute to chronic toxicity: Repeated dose toxicity 13463-67-7 titanium dioxide [in powder form containing 1 aerodynamic diameter ≤ 10 µm] Oral NOAEL 962 mg/kg /90D (rat) (OECD 408) 24,000 mg/kg /28D (rat) (OECD 407) LOAEL >962 mg/kg /90D (rat) (OECD 403) 24,000 mg/kg /28D (rat) (OECD 407) 0.1 mg/l /2Y (rat) (OECD 453) 0.5 mg/l /2Y (rat) (OECD 453) CMR effects (carcinogenity, mutagenicity and toxicity for reproder 11.2 Information	(Contd. of pag	
aerodynamic diameter ≤ 10 µm] Oral LD50 >5,000 mg/kg (rat) (OECD 425) Dermal ATE >2,000 mg/kg (rat) Inhalative LC50/4 h >6.82 mg/l (rat) (Dust / Fog) Skin corrosion/irritation Frequent persistent contact with the skin Serious eye damage/irritation In case of longer exposure, irritatin during inhalation: Irritant effect possible. during swallowing: Irritant effect possible Respiratory or skin sensitisation Based on available data, the classification criteria Germ cell mutagenicity Based on available data, the classification criteria Reproductive toxicity Based on available data, the classification criteria Reproductive toxicity Based on available data, the classification criteria StoT-single exposure Based on available data, the classification criteria StoT-repeated exposure Based on available data, the classification criteria Other information (about experimental toxicology): Experimental analysis are not available. The product was not tested. The statements on toxicology have be the individual components. Subacute to chronic toxicity: Repeated dose toxicity 13463-67-7 titanium dioxide [in powder form containing 1 aerodynamic diameter ≤ 10 µm] Oral NOAEL <td< th=""><th></th><th></th></td<>		
Dermal ATE >2,000 mg/kg (rat) Inhalative LC50/4 h >6.82 mg/l (rat) (Dust / Fog) Skin corrosion/irritation Frequent persistent contact with the skin Serious eye damage/irritation In case of longer exposure, irritatin during inhalation: Irritant effect possible. during swallowing: Irritant effect possible Respiratory or skin sensitisation Based on available data, the classification Carcinogenicity Based on available data, the classification criteria Reproductive toxicity Based on available data, the classification of STOT-single exposure Based on available data, the classification criteria Aspiration hazard Based on available data, the classification criterie Other information (about experimental toxicology): Experimental analysis are not available. The product was not tested. The statements on toxicology have be the individual components. Subacute to chronic toxicity: Repeated dose toxicity 13463-67-7 titanium dioxide [in powder form containing 1 aerodynamic diameter ≤ 10 µm] Oral NOAEL 962 mg/kg /90D (rat) (OECD 408) >24,000 mg/kg /28D (rat) (OECD 407) LOAEL >962 mg/kg /28D (rat) (OECD 407) >24,000 mg/kg /28D (rat) (OECD 407) >24,000 mg/kg /28D (rat) (OECD 407) >24,000 mg/kg /28D (rat) (OECD 453) >24,000 mg	% or more of particles with	
Inhalative LC50/4 h >6.82 mg/l (rat) (Dust / Fog) Skin corrosion/irritation Frequent persistent contact with the skin Serious eye damage/irritation In case of longer exposure, irritatin during inhalation: Irritant effect possible. during swallowing: Irritant effect possible Respiratory or skin sensitisation Based on available data, the classification Carcinogenicity Based on available data, the classification criteria Reproductive toxicity Based on available data, the classification criteria StoT-single exposure Based on available data, the classification criteria Aspiration hazard Based on available data, the classification criteria Aspiration hazard Based on available data, the classification criteria Other information (about experimental toxicology): Experimental analysis are not available. The product was not tested. The statements on toxicology have be the individual components. Subacute to chronic toxicity: Repeated dose toxicity 13463-67-7 titanium dioxide [in powder form containing 1 aerodynamic diameter ≤ 10 µm] Oral NOAEL 962 mg/kg /90D (rat) (OECD 408) 24,000 mg/kg /28D (rat) (OECD 407) 24,000 mg/kg /28D (rat) (OECD 407) LOAEL >962 mg/kg /28D (rat) (OECD 407) >24,000 mg/kg /28D (rat) (OECD 453) ORAE 0.5 mg/l /2Y (rat) (OECD 453) <th></th> <th>Oral LD50</th>		Oral LD50
 Skin corrosion/irritation Frequent persistent contact with the skin Serious eye damage/irritation In case of longer exposure, irritatin during inhalation: Irritant effect possible. during swallowing: Irritant effect possible Respiratory or skin sensitisation Based on available data, the classification Carcinogenicity Based on available data, the classification criteria Reproductive toxicity Based on available data, the classification criteria Reproductive toxicity Based on available data, the classification criteria Reproductive toxicity Based on available data, the classification criteria Reproductive toxicity Based on available data, the classification criteria Reproductive toxicity Based on available data, the classification criteria Reproductive toxicity Based on available data, the classification criteria Reproductive toxicity Based on available data, the classification criteria Stot - single exposure Based on available data, the classification criteria Aspiration hazard Based on available data, the classification criteria Other information (about experimental toxicology): Experimental analysis are not available. The product was not tested. The statements on toxicology have be the individual components. Subacute to chronic toxicity: Repeated dose toxicity 13463-67-7 titanium dioxide [in powder form containing 1 aerodynamic diameter ≤ 10 µm] Oral NOAEL 962 mg/kg /90D (rat) (OECD 408) 24,000 mg/kg /28D (rat) (OECD 407) LOAEL >962 mg/kg /28D (rat) (OECD 407) LOAEL >962 mg/kg /28D (rat) (OECD 407) LOAEL >0.5 mg/l /2Y (rat) (OECD 453) CMR effects (carcinogenity, mutagenicity and toxicity for reprosena		Dermal ATE
 Serious eye damage/irritation In case of longer exposure, irritatin during inhalation: Irritant effect possible. during swallowing: Irritant effect possible Respiratory or skin sensitisation Based on available data, the classification Carcinogenicity Based on available data, the classification criteria Reproductive toxicity Based on available data, the classification criteria Reproductive toxicity Based on available data, the classification criteria Reproductive toxicity Based on available data, the classification criteria Reproductive toxicity Based on available data, the classification criteria Reproductive toxicity Based on available data, the classification criteria StOT-single exposure Based on available data, the classification criteria Aspiration hazard Based on available data, the classification criteria Other information (about experimental toxicology): Experimental analysis are not available. The product was not tested. The statements on toxicology have be the individual components. Subacute to chronic toxicity: Repeated dose toxicity 13463-67-7 titanium dioxide [in powder form containing 1 aerodynamic diameter ≤ 10 µm] Oral NOAEL 962 mg/kg /90D (rat) (OECD 408) 24,000 mg/kg /28D (rat) (OECD 407) LOAEL >962 mg/kg /90D (rat) (OECD 407) LOAEL 0.01 mg/l /2Y (rat) (OECD 453) CMR effects (carcinogenity, mutagenicity and toxicity for reprosentation (OECD 407) 11.2 Information on other hazards 		Inhalative LC50/4 I
 Repeated dose toxicity 13463-67-7 titanium dioxide [in powder form containing 1 aerodynamic diameter ≤ 10 μm] Oral NOAEL 962 mg/kg /90D (rat) (OECD 408) 24,000 mg/kg /28D (rat) (OECD 407) LOAEL >962 mg/kg /90D (rat) (OECD 408) >24,000 mg/kg /28D (rat) (OECD 408) >24,000 mg/kg /28D (rat) (OECD 407) Inhalative NOAEL 0.01 mg/l /2Y (rat) (OECD 453) CMR effects (carcinogenity, mutagenicity and toxicity for reprosentation on other hazards 	n criteria are not met. a are not met. criteria are not met. n criteria are not met. tion criteria are not met. ria are not met.	during swallowing Respiratory or ski Germ cell mutage Carcinogenicity B Reproductive toxi STOT-single expo STOT-repeated ex Aspiration hazard Other information Experimental analy The product was no the individual comp
13463-67-7 titanium dioxide [in powder form containing 1 aerodynamic diameter ≤ 10 μm] Oral NOAEL 962 mg/kg /90D (rat) (OECD 408) 24,000 mg/kg /28D (rat) (OECD 407) 24,000 mg/kg /28D (rat) (OECD 408) 24,000 mg/kg /28D (rat) (OECD 408) >24,000 mg/kg /28D (rat) (OECD 407) Inhalative NOAEL 0.01 mg/l /2Y (rat) (OECD 453) LOAEL 0.5 mg/l /2Y (rat) (OECD 453) • CMR effects (carcinogenity, mutagenicity and toxicity for repro- • 11.2 Information on other hazards		
Inhalative 24,000 mg/kg /28D (rat) (OECD 407) NOAEL >962 mg/kg /90D (rat) (OECD 408) >24,000 mg/kg /28D (rat) (OECD 408) >24,000 mg/kg /28D (rat) (OECD 407) Inhalative NOAEL LOAEL 0.01 mg/l /2Y (rat) (OECD 453) LOAEL 0.5 mg/l /2Y (rat) (OECD 453) * CMR effects (carcinogenity, mutagenicity and toxicity for reprodementation on other hazards	% or more of particles wi	13463-67-7 titaniu
LOAEL >962 mg/kg /90D (rat) (OECD 408) >24,000 mg/kg /28D (rat) (OECD 407) Inhalative NOAEL 0.01 mg/l /2Y (rat) (OECD 453) LOAEL 0.5 mg/l /2Y (rat) (OECD 453) • CMR effects (carcinogenity, mutagenicity and toxicity for repro- 11.2 Information on other hazards		Oral NOAEL
Inhalative >24,000 mg/kg /28D (rat) (OECD 407) Inhalative NOAEL LOAEL 0.01 mg/l /2Y (rat) (OECD 453) • CMR effects (carcinogenity, mutagenicity and toxicity for repro- • 11.2 Information on other hazards		
Inhalative NOAEL 0.01 mg/l /2Y (rat) (OECD 453) LOAEL 0.5 mg/l /2Y (rat) (OECD 453) CMR effects (carcinogenity, mutagenicity and toxicity for repro- 11.2 Information on other hazards		LOAEL
LOAEL 0.5 mg/l /2Y (rat) (OECD 453) • CMR effects (carcinogenity, mutagenicity and toxicity for repro • 11.2 Information on other hazards		
• CMR effects (carcinogenity, mutagenicity and toxicity for repro • 11.2 Information on other hazards		Inhalative NOAEL
11.2 Information on other hazards		LOAEL
· Endocrine disrupting properties	oduction) Not applicable	
		Endocrine disrupt
None of the ingredients is listed.		

(Contd. on page 8)



Page 8/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 04.04.2024

Version number 3.0 (replaces version 2.0)

Revision: 04.04.2024

Trade name: KEIM INNOPRO

(Contd. of page 7)

Aquatic to	ty vicity:	
•	•	ntaining 1 % or more of particles with
NOEC	5,600 mg/kg /72h (Algae) (ISO 10253)	
	>100 mg/kg /3d (algae) (OECD 201)	
EC 50/48h	>1,000 mg/l (daphnia) (OECD 202)	
EC 50/72 h	>10,000 mg/l (algae) (ISO 10253)	
ErC50	>100 mg/l /72h (algae) (OECD 201)	
LC 50/96 h	>1,000 mg/l (fish) (OECD 203)	
	>10,000 mg/l (marine fish) (OECD 203)	
12.2 Persis	tence and degradability No further relevant	nt information available.
12.3 Bioac	cumulative potential No further relevant in	formation available.
Bioconcen	tration factor (BCF)	
13463-67-7	titanium dioxide [in powder form	
	containing 1 % or more of particles with	
	aerodynamic diameter ≤ 10 μm] ty in soil No further relevant information av	
	s of PBT and vPvB assessment pplicable	
12.6 Endoc	rine disrupting properties	
	t does not contain substances with endocrin	ne disrupting properties.
	adverse effects	
· Additional	ecological information:	
	substance of content which do not include of	
take influen	ce on the AOX-load of the waste water.	
take influen • According EU guidelin	to the formulation contains the followin ne NO. 2006/11/EC:	ig heavy metals and compounds from th
take influen • According EU guidelin The produc	to the formulation contains the followin ne NO. 2006/11/EC: t contains TiO2.	ig heavy metals and compounds from th
take influen According EU guidelin The produc General no	to the formulation contains the followin ne NO. 2006/11/EC: t contains TiO2. ites: nents on ecotoxicology have been deri	ig heavy metals and compounds from the ved from the properties of the individu
take influen According EU guidelin The product General no The stater component Do not allow	to the formulation contains the following the NO. 2006/11/EC: t contains TiO2. tes: nents on ecotoxicology have been deri s. v product to reach ground water, water cour	ved from the properties of the individu
take influen According EU guidelin The produc General no The stater component Do not allow At present t	to the formulation contains the followin ne NO. 2006/11/EC: t contains TiO2. tes: nents on ecotoxicology have been deri s.	ved from the properties of the individu se or sewage system.

(Contd. on page 9)



Page 9/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 04.04.2024

Version number 3.0 (replaces version 2.0)

Revision: 04.04.2024

Trade name: KEIM INNOPRO

(Contd. of page 8)

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed with household garbage. Do not allow product to reach sewage system. Disposal must be made according to official regulations.

· European waste catalogue

08 01 12 waste paint and varnish other than those mentioned in 08 01 11

Uncleaned packaging:

- **Recommendation:** Disposal must be made according to official regulations.
- Recommended cleansing agents: Water, if necessary with cleansing agents.

SECTION 14:	Transport information
-------------	-----------------------

 14.1 UN number or ID number ADR, IMDG, IATA 	Void
 14.2 UN proper shipping name ADR, IMDG, IATA 	Void
· 14.3 Transport hazard class(es)	
· ADR, IMDG, IATA · Class	Void
· 14.4 Packing group · ADR, IMDG, IATA	Void
 14.5 Environmental hazards: Marine pollutant: 	No
· 14.6 Special precautions for user	Not applicable
 14.7 Maritime transport in bulk accordir IMO instruments 	n g to Not applicable
· Transport/Additional information:	No dangerous good in sense of these transport regulations.
· UN "Model Regulation":	Void

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- [•] Labelling according to Regulation (EC) No 1272/2008

For information on labelling please refer to section 2 of this document.

(Contd. on page 10)



Page 10/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 04.04.2024

Version number 3.0 (replaces version 2.0)

Revision: 04.04.2024

(Contd. of page 9)

Trade name: KEIM INNOPRO

· Directive 2012/18/EU

• Named dangerous substances - ANNEX I None of the ingredients is listed.

· LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (ANNEX XIV)

None of the ingredients is listed.

 DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

· REGULATION (EU) 2019/1148

 Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

Not relevant.

• ANNEX I EXPORT SUBSTANCES DECLARABLE FOR EXPLOSIVES in quantities > 1%. None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

• Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

National regulations:

• Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

Other regulations, limitations and prohibitive regulations

• Substances of very high concern (SVHC) according to REACH, Article 57 Not applicable

- · Product-Code/Giscode: BSW10
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H351 Suspected of causing cancer.

- · Department issuing SDS: KEIMFARBEN Germany, Product safety department
- · Version number of previous version: 2.0
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

(Contd. on page 11)



Page 11/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 04.04.2024

Version number 3.0 (replaces version 2.0)

Revision: 04.04.2024

Trade name: KEIM INNOPRO

CAS: Chamical Abstracts Service (division of the American Chamical Seciety)	(Contd. of page
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
TRGS: Technische Regeln für Gefahrstoffe (Technical Rules for Dangerous Substances,	BAuA, Germany)
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
SVHC: Substances of Very High Concern	
vPvB: very Persistent and very Bioaccumulative	
AGW: Arbeitsplatzgrenzwert (Germany)	
EC10: Effective concentration at 10% mortality rate.	
EC50: Half maximal effective concentration.	
LC10: Lethal concentration at 10% mortality rate.	
NOEC: No observed effect concentration.	
REACH: Registration, Evaluation and Authorisation of Chemicals (Regulation (EC) No.19	07/2006)
Carc. 2: Carcinogenicity – Category 2	
* Data compared to the previous version altered.	